

PLANTER SPECIFICATIONS GUIDE INTERLOC® LOCKERS AND PARTITIONS



PLANTERS

The below planter range has been developed to compliment a range of joinery applications, with the ease of customisation and functionality in mind, this cost effective range has the ability to be ordered to suit most standard joinery applications.

Contents

PLANTERS	5
PLANTERS - CONTINUED	7
WARRANTY AND CARE	8





PLANTERS

PRODUCTS ON DISPLAY

- Mulch Tray
- 2. Planter Line
- 3. Joinery by Interlo



PLANTERS

FINISHES **OPTIONS** OPTIONS - MOUNTING Insert: Drop In Standard: pot insert / mulch tray • Screw Fix from sides Satin black Custom: • Satin white Optional: • POA Interpon colour rangeDulux colour range STANDARD Custom: Galvanised construction Sealed internally with silicone to prevent POA leakage RAIL PLANTER LENGTHS - AA WIDTHS - BB HEIGHTS - CC PLB - ACR - AA - BB 400 - 04 285 - 28 200 - 20 600 - 06 Custom POA Custom POA 800 - 08 900 - 09 1000 - 10 1100 - 11 Custom POA AA -240 ВВ 30 165 ВВ



PLANTERS - CONTINUED

OPTIONS

Insert:

- Equally spaced holes
- Ø194mm holes for std Ø200 pot


Configuration:


- equally spaced when butted up together
- bolt through holes depending on configuration


Custom:


POA

PLANTER CONFIGURATIONS











Interloc Lockers Pty Ltd ABN 53 103 876 455

Phone (Tollfree): 1300 468 375 Email: sales@interloc.com.au

WARRANTY & CARE

All imagery is indicative only, finishes will vary in person.

Please consult us for an accurate finishes sample and for all pricing requests.

10 year manufacturers warranty on locally manufactured product covers structure and finish. (Indoor application only)

www.interloc.com.au